GARE 10

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (as Used on Label and List)

Gare Reward Designer Velvets DV-3300 Series

Reward Velvets VT-300 Series

Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.

Neward vervets vi-300 Series	made be manda to maidate that.				
Section I					
Manufacturer's name	Emergency Telephone Number				
Gare Inc.	Regional Poison Control Center (Poisondex System)				
Address (Number, Street, City, State and ZIP Code)	Telephone Number for Information 978-373-9131				
165 Rosemont Street	Date Prepared November 2004				
Haverhill, MA 01831	Signature of Preparer (optional)				
Section II—Hazardous Ingredients/Identity Information					
Hazardous Components (Specific Chemical Identity, Common Name(s))	Other Limits OSHA PEL ACGIH TLV Recommended % (optional)				

This material has been evaluated under the provision of LHAMA (Labeling of Hazardous Art Materials Act)



and California Proposition 65 by a board certified toxicologist. This product was judged to be non-toxic and non-flammable under the proposed use conditions. No special warning label is required under the provision of LHAMA or California Proposition 65. The label should state, "Conforms to ASTM D 4236" Section III—Physical/Chemical Characteristics Boiling Point Water Specific Gravity (H₂0 = 1) 1.2 – 1.6 212° F Vapor Pressure (mm Hg) Melting Point N/A Above 1000° F Vapor Density (AIR = 1) Evaporation Rate (Butyl Acetate = 1) N/A As water Solubility in Water **Essentially insoluble** Appearance and Odor Colored liquid, practically odorless. Section IV—Fire and Explosion Hazard Data Flash Point (Method Used) Will not burn Flammable Limits N/A UEL N/A LEL N/A Extinguishing Media Not combustible. This is a water-based product. Special Fire Fighting Procedures None Unusual Fire and Explosion Hazards None

(Reproduce locally) OSHA 174 Sept. 1985

Section V—	Reactivity Data					
Stability		Unstable			Conditions to Avoid	N/A
		Stable	х			
Incompatibility	(Materials to Avoid) No	one known	l			
Hazardous De	ecomposition or Byprodu	icts N/A				
Hazardous		May Occur			Conditions to Avoid	N/A
Polymerization	n	Will Not Occur	· ·			
04' \/!	1114-11I B-4-		X			
Route(s) of Er	-Health Hazard Data			Skin?		Ingestion?
		Inhalation? Non-tox	(ic			geette
- I leal(II I lazai)	ds (Acute and Chronic)	Non-toxic				
Carcinogenici	tv	NTP?		IARC M	onographs?	OSHA Regulated?
	Not suspected			,, a (O ivi		
Signs and Svi	mptoms of Exposure N/					
	N/A	A				
Medical Cond	itions					
		echanically abras	ive to the ey	e. Over	exposure may ca	use some skin dryness.
		-				
Emergency ar	nd First Aid Procedures	Eye contact: Flush	with water	for 15 n	ninutes	
		contact: Wash wi				
		fe Handling and Use)			
Steps to Be T	aken in Case Material Is	Released or Spilled C	lean up with	n paper t	owels and spong	ge.
Waste Dispos	al Method Dispose o	of paper towels in t	rash and w	ash out	sponges.	
Precautions to	Be Taken in Handling a	and Storing Keep bo	ottle covers	properly	y tightened.	
Other Precaut	ions N/A					
	-Control Measures					
	rotection (Specify Type)	Not for spray app	lication.			
Ventilation	Local Exhaust N/A				Special N/A	
	Mechanical (General)	N/A			Other N/A	
Protective Glo	oves Only if irritatio	n occurs		Eye Pro	tection Avoid eye	contact
Other Protecti	ve Clothing or Equipmer	^{ાt} Wear apron or sા	mock		-	
Work/Hygienio	Practices Maintain	personal and work	area clean	liness		