GARE 11

Material Safety Data Sheet	U.S. Department of Labor			
May be used to comply with OSHA's Hazard	Occupational Safety and Health Administration			
Communication Standard, 29 CFR 1910 1200. Standard	(Non-Mandatory Form)			
must be consulted for specific requirements.	Form Approved			
	OMB No. 1218-0072			
IDENTITY (as Used on Label and List)	Note: Blank spaces are not permitted. If any item is not			
Gare Star Light Colors SC-8000 Series	applicable or no information is available, the space must be marked to indicate that.			
Section I				
Manufacturer's name	Emergency Telephone Number			
Gare Inc.	Regional Poison Control Center (Poisondex System)			
Address (Number, Street, City, State and ZIP Code)	Telephone Number for Information			

	978-373-9131			
165 Rosemont Street	Date Prepared November 2004			
Haverhill, MA 01831	Signature of Preparer (optional)			
Section II—Hazardous Ingredients/Identity Information	•			
Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)



ASTM D 4236

This material has been evaluated under the provision of LHAMA (Labeling of Hazardous Art Materials Act)

and California Proposition 65 by a board certified toxicologist. This product was judged to be non-toxic and non-flammable under the proposed use conditions. No special warning label is required under the provision of LHAMA or California Proposition 65. The label should state, "Conforms to ASTM D 4236"

Section III—Physical/Chemical C	haracteristics			
Boiling Point Water	212° F	Specific Gravity (H ₂ 0 = 1)		1.3 – 1.4
Vapor Pressure (mm Hg)	N/A	Melting Point	Above 1000° F	
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)		As water
Solubility in Water Essentially ins	soluble	I		1
Appearance and Odor Colored liq	uid, slightly earthy odo	r.		
Section IV—Fire and Explosion H				
Flash Point (Method Used) Will not burn		Flammable Limits N/A	LEL N/A	^{UEL} N/A
Extinguishing Media Not combustil	ole. This is a water-base	ed product.		
Special Fire Fighting Procedures None)			
Unusual Fire and Explosion Hazards	one			
(Penreduce lecally)				OSHA 174 Sant 1095
(Reproduce locally)				OSHA 174 Sept. 1985

Section V—Reactivity Data								
Stability	Unstable		Conditions to Avoid	N/A				
	Stable	x						
Incompatibility (Materials to Avoid)	one known							
Hazardous Decomposition or Byprodu	^{cts} N/A							
Hazardous	May Occur		Conditions to Avoid	N/A				
Polymerization				N/A				
	Will Not Occur	x						
Section VI—Health Hazard Data								
Route(s) of Entry	Inhalation? Non-toxic	Skin?		Ingestion?				
Health Hazards (Acute and Chronic)	Ion-toxic							
Carcinogenicity Not suspected	NTP?	IARC	Monographs?	OSHA Regulated?				
Signs and Symptoms of Exposure N/	٩							
Medical Conditions	achanically chronive t	a tha ava Ov		use come alvin drynase				
Generally Aggravated by Exposure M	echanically abrasive to	o the eye. Ove	erexposure may ca	ause some skin dryness.				
Emergency and First Aid Procedures	Eve contact: Flush wit	h water for 15	minutes					
Emergency and First Aid Procedures Eye contact: Flush with water for 15 minutes Skin contact: Wash with soap and water.								
Section VII—Precautions for Safe Handling and Use								
Steps to Be Taken in Case Material Is Released or Spilled Clean up with paper towels and sponge.								
			······					
Waste Disposal Method Dispose of paper towels in trash and wash out sponge.								
Precautions to Be Taken in Handling and Storing Keep bottle covers properly tightened.								
Other Precautions N/A								
Section VII—Control Measures								
Respiratory Protection (Specify Type)	Not for spray applicati	ion.						
Ventilation Local Exhaust			Special N/A					
N/A								
Ventilation Local Exhaust N/A Mechanical (General)	N/A		Other N/A					
Protective Gloves Only if irritatio	n occurs	Eye F	Other N/A	contact				
Mechanical (General)	n occurs	Eye F	Other N/A	contact				