GARE 26

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (as osca on Laber and List)	
Gare Ruff Stuff PRS-SRS-RS 6400 series	

IDENTITY (as Used on Label and List)

Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.

UEL N/A

Section				
Gare Inc. Regional Poison Control Center (Poisondex System of Market Poison Center (Poison Center				
Address (Number, Street, City, State and ZIP Code) Telephone Number for Information 978-373-9131				
	Regional Poison Control Center (Poisondex System)			
165 Rosemont Street Date Prepared November 2004				
Haverhill, MA 01831 Signature of Preparer (optional)				
Section II—Hazardous Ingredients/Identity Information				
Other Limits Hazardous Components (Specific Chemical Identity, Common Name(s)) OSHA PEL ACGIH TLV Recommended % (o	% (optional)			



This material has been evaluated under the provision of LHAMA (Labeling of Hazardous Art Materials Act) and California Proposition 65 by a board certified toxicologist. This product was judged to be non-toxic and non-flammable under the proposed use conditions. No special warning label is required under the provision of LHAMA or California Proposition 65. The label should state, "Conforms to ASTM D 4236"

Section III—Physical/Chemical Characteristics								
Boiling Point Water	212° F	Specific Gravity (H ₂ 0 = 1)	1.5-1.6					
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A					
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	As water					

Solubility in Water Essentially insoluble

Section IV—Fire and Explosion Hazard Data

Appearance and Odor Colored liquid, mild paint odor.

Flash Point (Method Used) Will not burn	Flammable Limits N/A	LEL N/A
Extinguishing Media Not combustible. This is a water-based pr	oduct.	
Special Fire Fighting Procedures None		

Unusual Fire and Explosion Hazards None

(Reproduce locally) OSHA 174 Sept. 1985

Section V—	-Reactivity Data					
Stability		Unstable			Conditions to Avoid N/	A
		Stable	х			
Incompatibility	(Materials to Avoid) No	one known			I.	
Hazardous De	ecomposition or Byprodu	icts N/A				
Hazardous		May Occur			Conditions to Avoid N/	Α
Polymerizatio	n	Will Not Occur				
041 1/1	1114-111 D -4-		X			
Route(s) of E	-Health Hazard Data			Skin?		Ingestion?
		Inhalation? Non-toxic	C			
- I lealth i lazan	ds (Acute and Chronic)	Non-toxic				
Carcinogenici	tv	NTP?		IARC Mo	onographs?	OSHA Regulated?
- Caroniogonio	ty not suspected		•	.,		
Signs and Sv	mptoms of Exposure N/					
	N/	A				
Medical Cond	itions					
		echanically abrasiv	e to the eye.	Overe	exposure may caus	e some skin dryness.
Emergency a	nd First Aid Procedures	Eye contact: Flush	with water fo	r 15 m	inutes	
		contact: Wash with				
		fe Handling and Use				
Steps to Be T	aken in Case Material Is	Released or Spilled Cle	an up with p	aper to	owels and sponge.	
Wests Dispes	al Mathad					
Waste Dispos	Dispose	e of paper towels in	trash and wa	ash ou	ıt sponges.	
Danas diama d	- D. Talaa ia Haadiiaa	and Otanian				
Precautions to	Be Taken in Handling a	Keep bot	tle covers pr	operly	tightened.	
Other Pressur	tions					
Other Precau	N/A					
	—Control Measures					
	Least Exhaust	Not for spray applic	cation.	1	Charial	
Ventilation	Local Exhaust N/A				Special N/A	
	Mechanical (General)	N/A			Other N/A	
Protective Glo	Only if irritatio	n occurs		Eye Prot	ection Avoid eye cor	ntact
Other Protect	ive Clothing or Equipmer	^{າt} Wear apron or sm	ock			
Work/Hygieni	c Practices Maintain	personal and work	area cleanlin	ess		